

 UNIVET

LOUPES

Magnification Systems



EOS

2.0

Compact shapes and lightness are combined with high performance lighting. EOS 2.0 has been designed to be perfectly compatible with our loupes devices.

Forme compatte e leggerezza sono abbinata a qualità illuminotecniche ultra performanti. EOS 2.0 è stato progettato per essere perfettamente compatibile con tutti i nostri sistemi ingrandenti.



headlight
DETAILS

EOS
2.0

univetloupes.com/eos-2

FEATURES

Blue light compliant / Conforme ai limiti di emissioni di luce blu

Color temperature / Temperatura di colore: 5500 K

Brightness / Intensità luminosa: 35000 lux

Battery life at max brightness / Durata alla max intensità: 8 h

Headlight weight / Peso faretto: 11 g

SPOT SHAPE

Working distance (cm)	Ø (cm)	lux
35	10,5	35000

ACCESSORIES INCLUDED

Battery charger

Universal magnetic adapter

UV 525 nm composite filter

OPTIONAL

Custom magnetic adapter (only for Univet TTL Loupes)



Head

LIGHT

www.univetloupes.com

 UNIVET



UNIVET LOUPES Spa Via Giovanni Prati, 87 - 25086 Rezzato (BS) Italy +39 030 2499411 · info@univetloupes.com